

PRANGYA PATHO-LAB

ପ୍ରଞ୍ଜା ପାଥୋ-ଲ୍ୟାବ୍

Better diagnosis does means better patient cure




Lab Regd. No- 799/2007
Under Clinical Establishment Act.
Nua Sasan, Dhenkanal - 759001
Email: prangyapatholab@gmail.com
Ph: 06762-221394

LABORATORY TEST REPORT



Name : ASISH NAYAK
Mobile No :
Age / Sex : 31Yrs MALE
Lab No : 14624
Refer By : SELF

SINo : PP0610230096

Ref By Dr. : Dr K P TRIPATHY
Regd Date : 06-10-2023
Collection Date: 06-10-2023 12:10:14 PM
Reporting Date : 06-10-2023 12:16:38 PM
Sample ID : 
06102314624

TEST DESCRIPTION

VALUE OBSERVED

REFERENCE INTERVAL

THYROID FUNCTION TEST

FT4 (Free Thyrotropin)

1.24 ng/dL

(0.82 - 2.00)

*****END OF REPORT*****

Dr Jayanarayan Padhi
Consultant Pathologist

Checked by

Sample Supplied / Collected in the Lab

* If the result(s) of the test(s) is alarming or unexpected, the patient is adviced to contact the laboratory immediately for possible further action / suggestion.

* This report is not valid for medico legal purposes.